

ISR Mc AB Prislita 2016

Part Number Art. Number	Description	RH / LH	Pris Brutto	Pris Brutto
Wheel Hubs			Exkl.moms	Inkl.moms
13-020-OA	Front Wheel Hub Chopper		5 973	7 467
13-021-OA	Rear Wheel with cush drive		7 467	9 334
13-026-OA	Front Wheel Hub Sport		6 571	8 213
Master Cylinders				
21-005-O_	Master Cylinder front Chopper		2 130	2 662
21-005-A_	Above with adjustable lever		2 563	3 204
21-006-O_	Master Cylinder front Racing, dia 17,5mm		2 283	2 853
21-006-A_	Above with adjustable lever		2 716	3 396
21-009-OA/B	Master Cylinder rear Chopper		1 284	1 605
21-010-OA/B/C/D	Master Cylinder rear Racing		1 284	1 605
21-010-OE	Master Cylinder		1 284	1 605
21-011-O_	Master Cylinder front Chopper		2 130	2 662
21-011-A_	Above with adjustable lever		2 563	3 204
21-012-O, A-F	Radial w. reservoir		3 465	4 331
21-013-O, A-F	Radial Custom		2 296	2 870
21-014-O, A-F	Radial Racing		3 465	4 331
21-015-OA	Master Cylinder rear Yamaha R1		1 237	1 546
21-016-OA	Master Cylinder rear Yamaha V-max		1 237	1 546
Calipers				
22-023-OA	Universal Caliper		1 361	1 701
22-025-OG/H	4-Piston Caliper +30		3 160	3 951
22-025-OK/L	4-Piston Caliper (40 mm Pitch)		3 232	4 040
22-025-OU/V	4-Piston Caliper Harley Davidson 293	LH	3 103	3 878
22-025-OX/Y	4-Piston Caliper HD w.narrow fork/wire	LH	3 103	3 878
22-026-OA	Sprocket Caliper		1 559	1 949
22-027-OA/B	2-Piston Caliper		1 525	1 906
22-028-OA/B	2-Piston Caliper		1 551	1 938
22-029-OA/B	Rear Caliper 210 mm		2 427	3 034
22-029-OC/D	Rear Caliper 250 mm		2 586	3 232
22-029-OE/F	Springer 250 mm		2 586	3 232
22-030-OA/B	Rear Caliper 220 mm		2 679	3 349
22-030-OE/F	Rear Caliper		2 225	2 781
22-030-OG/H	Rear Caliper 250 mm		3 049	3 812
22-032-AC/D	6-Piston Caliper HD -00 292mm		5 362	6 702
22-032-AE/F	6-Piston Caliper R1		5 362	6 702
22-032-AG/H	6-Piston Caliper 65 mm		5 362	6 702
22-032-OA/B	6-Piston Caliper 40 mm		5 229	6 536
22-032-OC/D	6-Piston Caliper GSXR,OW01		5 362	6 702
22-032-OK/L	6-Piston Caliper ZXR		5 362	6 702
22-032-OO/P	6-Piston Caliper CBR 900		5 362	6 702
22-033-OC/D	2-Piston Caliper Harley Davidson		2 252	2 815
22-033-OE/F	2-Piston Caliper 40 mm Pitch		2 166	2 707

Part Number Art. Number	Description	RH / LH	Pris Brutto	Pris Brutto
Calipers			Exkl.moms	Inkl.moms
22-034-OC/D	6-Piston Caliper 40mm pitch		4 140	5 175
22-034-OG/H	6-Piston Caliper (type WP/rear)		4 140	5 175
22-034-OK/L	6-piston Radial		4 594	5 743
22-036-OA/B	2-Piston Caliper rear		1 701	2 126
22-042-OA/B	6-Piston Caliper 40 mm		5 627	7 034
22-042-OC/D	6-Piston Caliper 65 mm		5 627	7 034
22-043-OA/B	4-Piston Caliper		2 580	3 226
22-044-OA/B	6-Piston Caliper Rad.		6 564	8 205
22-046-OA	6-Piston Sprocket Caliper (Z48)		4 355	4 800
22-047-OA	4-piston radial caliper 108mm		3 929	4 912
22-047-OB	4-piston radial caliper 100mm		3 929	4 912
22-048-OA	4-piston radial caliper 70mm		3 096	3 870
22-048-OB	4-piston radial caliper 70mm car		3 096	3 870
22-048-OC	4-piston caliper cc84mm		3 096	3 870
22-049-OA/B	2-piston radial caliper		1 701	2 126
22-049-OC/D	2-Piston radial caliper car		1 701	2 126
22-050-OA	4-Piston Caliper Radial 70 mm		6 294	7 867
22-051-OA	4-Piston Sprocket Caliper (Z48)		3 487	4 359
22-052-OA/B	6-Piston Caliper Radial (130 mm)		5 362	6 702
Kits				
22-025-KCSSU-01	Kit for Suzuki Intruder	RH	5 627	7 034
22-025-OR	Kit for HD 330	LH	5 627	7 034
22-032-KA/B	Kit for HD EVO 320		6 867	8 584
22-032-KE/F	Kit for HD -00 ->		6 867	8 584
22-032-KG/H	Kit for HD with 300 mm discs		6 229	7 786
22-032-KSPYA-01	Kit for Yamaha R1		13 736	17 169
22-032-KTA	Kit for T. Bonneville 6 Piston		6 229	7 786
Floating brake discs				
23A-100-220	Up to 220 mm (add 11.-/mm extra offset)		1 827	2 284
23A-221-285	221-285 mm (add 14.-/mm extra offset)		2 157	2 696
23A-286-300	286-300 mm (add 16.-/mm extra offset)		2 318	2 898
23A-301-320	301-320 mm (add 18.-/mm extra offset)		2 489	3 111
23A-321-400	Over 321 mm (add 20.-/mm extra offset)		2 648	2 650
Semi floating discs				
23B-100-220	Up to 220mm (add 11.-/mm extra offset)		1 708	2 135
23B-221-285	221-285 mm (add 14.-/mm extra offset)		2 016	2 520
23B-286-300	286-300mm (add 16.-/mm extra offset)		2 167	2 709
23B-301-320	301-320mm (add 18.-/mm extra offset)		2 325	2 907
23B-321-400	Over 321mm (add 20.-/mm extra offset)		2 475	3 094
None floating discs (without center)				
23C-100-200	Up to 200 mm		1 078	1 347
23C-201-220	201 - 220 mm		1 218	1 522
23C-221-250	221 - 250 mm		1 431	1 789
Solid Undrilled Rear Brake Discs				
23D-100-200	Up to 200 mm		1 228	1 535
23D-201-220	201 - 220 mm		1 366	1 707
23D-221-250	221 - 250 mm		1 575	1 969

Sprocket discs

23E-460-01	Harley Davidson 46 teeth		1 340	1 675
23E-480-01	Harley Davidson 48 teeth		1 393	1 741
23E-480-02	Harley Davidson 48 teeth (6-Pist.)		1 607	2 009

Damped brake discs

23F-100-220	Up to 220 mm (add 11.-/mm extra offset)		2 009	2 511
23F-221-285	221-285 mm (add 14.-/mm extra offset)		2 373	2 966
23F-286-300	286-300 mm (add 16.-/mm extra offset)		2 550	3 187
23F-301-320	301-320 mm (add 18.-/mm extra offset)		2 737	3 421
23F-321-400	Over 321 mm (add 20.-/mm extra offset)		2 914	2 650

Repl.Disc Rotors for floating discs incl.Buttons

23-3100-220	Up to 220 mm		1 191	1 488
23-3221-285	221-285		1 616	2 020
23-3286-300	286-300		1 786	2 233
23-3301-320	301-320		2 041	2 552
23-3321-400	Over 321 mm		2 126	2 658

Note. All Calipers Using ISR Pads (29-001)- (29-002)and all Kits are delivered including pa
All other Calipers are delivered without pads and must be ordered separately or suppl
Your normal supplier.

Special Discs for ISR Calipers

23A-YA320-04	Ducati Monster 600/900 93-		2 492	3 115
23A-YA320-04	Ducati 600/750/900 SS 91-		2 492	3 115
23A-YA320-04	Ducati 916/748 93-		2 492	3 115
23A-YA320-04	Ducati 851/888 93-		2 492	3 115

23B-HD220-01	Harley-Davidson		1 626	2 033
23B-HD220-02	Harley-Davidson		1 626	2 033
23B-HD250-03	Harley-Davidson		1 920	2 401
23B-HD293-04	Harley-Davidson		2 063	2 579
23B-HD293-06	Harley-Davidson		2 063	2 579
23B-HD293-08	Harley-Davidson		2 063	2 579
23B-HD320-09	Harley-Davidson		2 307	2 883
23B-HD330-10	Harley-Davidson		2 460	3 075
23C-HD220-01	Harley-Davidson		1 131	1 414
23C-HD220-02	Harley-Davidson		1 131	1 414
23C-HD250-03	Harley-Davidson		1 305	1 631

Brackets

25-013-OA	Road King EVO 40mm		1 313	1 641
25-014-OA	Harley-Davidson Softtail EVO		938	1 172
25-014-OB	Harley-Davidson Softtail -00		1 125	1 407
25-015-OA	Harley-Davidson Dyna		938	1 172

Note Brackets can be used with all the 40mm pitch
calipers. When ordered together with a caliper
and 292mm disc to make a kit, price is reduced
5% on all three parts

Part Number Number	Art.	Description	Matr.	Pris Brutto	Pris Brutto
Clutch Lever				Exkl.moms	Inkl.moms
71-003-OA		Wire operated for HD (25.4 mm)		825	1 031
71-003-AA		Above with adjustable lever		1 259	1 573
71-004-OA		Wire operated for Racing (22 mm)		825	1 031
71-004-AA		Above with adjustable lever		1 259	1 573
A		Additional for adjustable lever		434	542

Clamp with electric 25,4 mm

73-101-OA/B		One Slide-and two Push buttons		760	950
73-102-OA		One Slide-and one Push button		625	782
73-103-OA		Two Push buttons		509	636
73-104-OA		One Slide Button		465	581
73-105-OA		One Push Button		411	514
73-201-OA		One rocker (0-1) and two push buttons		760	950
73-201-AA		One rocker (<>) and two push buttons		760	950
73-201-OB		One rocker (0-1) and two push buttons		760	950
73-201-AB		One rocker (<>) and two push buttons		760	950
73-202-AA		One rocker (<>) and one push button		625	782
73-203-OA		Two Push buttons		509	636
73-204-OA		One rocker (0-1) button		465	581
73-205-OA		One push button		411	514

Clamp with electric 22 mm

73-106-OA/B		One Slide-and two Push buttons		760	950
73-107-OA		One Slide -and one Push button		625	782
73-108-OA		Two Push buttons		509	636
73-109-OA		One Slide Button		465	581
73-110-OA		One Push Button		411	514
73-211-OA		One rocker (0-1) and two push buttons		760	950
73-211-AA		One rocker (<>) and two push buttons		760	950
73-211-OB		One rocker (0-1) and two push buttons		760	950
73-211-AB		One rocker (<>) and two push buttons		760	950
73-212-AA		One rocker (<>) and one push button		625	782
73-213-OA		Two Push buttons		509	636
73-214-OA		One rocker (0-1) button		465	581
73-215-OA		One push button		411	514

Part Number Number	Art. Number	Description	Matr.	Pris	
				Pris Brutto Exkl.moms	Pris Brutto Inkl.moms
Hose and fittings					
95-14-010		Washer 10 mm		8	10
95-14-008		Washer 8 mm		8	10
96-01-035		Hose/meter		134	168
95-10-0050		Collet		11	14
95-10-0010		Nut		18	22
97-001-OA		Straight M10x1.25, male tread	A.S.	81	101
97-001-OB		Straight Swivel nut,male tread	A.S.	117	146
97-001-OC		Straight M10x1, male tread	A.S.	81	101
97-001-OD		Straight UNF 3/8", male tread	A.S.	81	101
97-001-OE		Straight female M10x1	A.S.	92	115
97-001-OF		Straight male M10x1	A.S.	92	115
97-001-OG		Straight M10x1.25,female tread	A.S.	91	113
97-001-OH		Straight M10x1 female tread	A.S.	91	113
97-001-OI		Straight UNF 3/8", female tread	A.S.	91	113
97-001-OJ		Straight BSTP 1/8", male tread	A.S.	91	113
97-001-OK		Straight female UNF 3/8"	A.S.	91	113
97-003-OA		Adaptor M10x1 - M10x1,25	A.S.	60	75
97-003-OB		Adaptor M10x1 - M10x1	A.S.	60	75
97-003-OC		Adaptor M10x1 - UNF 3/8"	A.S.	60	75
97-003-OD		Adaptor M10x1 - BSTP 1/8"	A.S.	60	75
97-004-OA		Banjo bolt M10x1,25	A.S.	55	69
97-004-OB		Banjo bolt M10x1	A.S.	55	69
97-004-OC		Banjo bolt UNF 3/8"	A.S.	55	69
97-004-OD		Banjo bolt bleed nipple M10x1.25	A.S.	91	113
97-004-OE		Banjo bolt bleed nipple M10x1	A.S.	91	113
97-004-OF		Banjo bolt bleed nipple UNF 3/8"	A.S.	91	113
97-005-OA		Double banjo bolt M10x1,25	A.S.	60	75
97-005-OB		Double banjo bolt M10x1	A.S.	60	75
97-005-OC		Double banjo bolt UNF 3/8"	A.S.	60	75
97-005-OD		Double banjo bolt M10x1,25 (bleed nipple)	A.S.	96	119
97-005-OE		Double banjo bolt M10x1 (bleed nipple)	A.S.	96	119
97-005-OF		Double banjo bolt UNF 3/8" (bleed nipple)	A.S.	96	119
97-007-OA		Banjo diameter 10 mm straight	A.S.	109	136
97-007-OB		Banjo Ø 10 mm 20°	A.S.	109	136
97-007-OC		Banjo Ø 10 mm 45°	S	117	146
97-007-OD		Banjo Ø 10 mm 20° curved	A.S.	109	136
97-008-OA		Banjo bolt M8x1	A.S.	55	69
97-008-OB		Banjo bolt M8x1 banjo Ø 10 mm	A.S.	55	69
97-009-OA		Banjo Ø 8 mm straight	A.S.	112	140
97-009-OB		Banjo Ø 8 mm 20°	A.S.	112	140
97-009-OC		Banjo Ø 8 mm 45°	S	117	146
97-009-OD		Banjo Ø 8 mm 20° curved	A.S.	112	140
97-010-OA		Plug M10x1.25	A	37	47
97-011-OA		Double banjo Straight 10 mm	A.S.	134	168

97-012-OA	Straight Swivel Female Taper M10x1.25	S	97	122
97-012-OB	Straight Swivel Female Taper M10x1	S	97	122
97-012-OC	Straight Swivel Female Taper UNF 3/8"	S	97	122
97-013-OA	Banjo Ø 11 mm	S	97	122
97-013-OB	Banjo Ø 11 mm 20°	S	97	122
97-013-OC	Banjo Ø 11 mm 45°	S	97	122
97-013-OD	Banjo Ø 11 mm 90°	S	97	122
97-014-OA	Banjo Ø 11 mm 90°	S	97	122
97-015-OA	Straight M8x1	S	97	122
97-015-OB	Straight M8x1 press	S	97	122

NS2	Navstyrning		pris på förfrågan	
-----	-------------	--	-------------------	--